



APPLICATIONS, INC.

Published on *Cell Applications* (<https://cellapplications.com>)

[Home](#) > [Hammond Cell Tech](#) > [Bovine Pituitary Extract](#)

BPE: Bovine Pituitary Extract

- Description
- Details
- Products

Description

Bovine Pituitary Extract (BPE) is derived from the pituitary gland, a small endocrine gland that produces and secretes various hormones that are vital to the regulation of various bodily functions. Our BPE is derived from pituitary glands of young and healthy New Zealand raised bovines to avoid any chance of contamination from Bovine Spongiform Encephalopathy (BSE). The Bovine Pituitary Extract was derived with the Hammond Cell Technology's [1] proprietary method for unmatched quality and consistency.



Our BPE is highly concentrated and contains the full spectrum of putative

mitogens and growth factors that have been used effectively in promoting robust growth in a wide range of cells in vitro, especially those of epithelial origin and stem cells. It has never been lyophilized and thus maintains the full spectrum of biological activity. Because of its high purity and potency, the BPE volume required to supplement cell culture medium for healthy and robust cell growth is only a fraction of the serum volume, thus producing significant cost savings.

Products are for research use only. They are not intended for human, animal, or diagnostic applications.

Image not found or type unknown



[2]

Pituitary gland, from which **Bovine Pituitary Extract (BPE)** is obtained.

Details

Cat. Nos.	<u>FILTERED:</u> 129-NZ-5 (5ml), 129-NZ-25 (25ml), 129-NZ-100 (100ml), 129-US-5 (5ml), 129-US-25 (25ml), 129-US-100 (100ml). <u>UNFILTERED:</u> 1078-NZ-50 (50ml), 1078-NZ-100 (100ml), 1078-NZ-500 (500ml), 1078-US-100 (100ml), 1078-US-500 (500ml)
Source:	Bovine pituitary gland derived from young (< 22 months), healthy, New Zealand or US born & slaughtered animals
Physical Appearance:	Brown to reddish liquid
Total Protein:	~14 mg/ml
Suggested Usage:	BPE is provided unfiltered or sterile-filtered
Typical Concentration:	35-70 µg/ml or 1.25-2.5 ml per 500 ml of medium for monolayer growth of epithelial cells
Note:	Optimal concentration may vary depending on cell type
Storage:	At or below -20 °C. Do not thaw and refreeze.

Products

Misc. Links

- [Site](#)
- [Privacy](#)
- [Returns](#)
- [Shipping](#)
- [Terms](#)
- [Disclaimer](#)
- [Distributors](#)

Contact Us

Cell Applications, Inc
6455 Weathers Place
San Diego, CA 92121
Open M-F, 8am-5pm PST

800-645-0848
info@cellapplications.com

Socialize With Us

•

Newsletter Signup

Subscribe to our newsletter

Source URL:<https://cellapplications.com/bpe-bovine-pituitary-extract>

Links

[1] <https://www.cellapplications.com/hammond-cell-tech>

[2]

https://cellapplications.com/sites/default/files/images_product_type/BPE%20from%20Pituitary%20Gland.jpg